



1/2 Ref. UNO-DM-COM KIT (Fimer_UKCA Declaration of Conformity)

UK Declaration of Conformity UKCA Marking



We, FIMER S.p.A., Via Tortona, 25, I-20144 Milano (MI), declare under our sole responsibility that the following product:

PRODUCT: Communication Board
MODEL: UNO-DM-COM KIT
TRADE MARK: FIMER
Alternative: ABB (Manufactured under trademark license agreement by FIMER Group)

to which this declaration relates, is in conformity with the essential requirements of the following UK legislation:

- **The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012**
- **Electromagnetic Compatibility Regulations 2016**
- **Electrical Equipment Safety Regulations 2016**

Conformity to the essential requirements of the above mentioned Legislation is assured by the compliance with the applicable parts of the following designated standards:

- **EN 62109-1:2010** ⁽¹⁾
- **EN 62109-2:2011** ⁽¹⁾
- **EN 55024:2010**
- **EN 61000-6-1:2007** ⁽¹⁾
- **EN 61000-6-2:2005** ⁽¹⁾
- **EN 61000-6-3:2007 + A1:2011** ⁽¹⁾
- **EN 61000-6-4:2007** ⁽¹⁾

(1): Compliance has been verified when assembled on UNO-DM-6.0(5.0)(4.6)(4.0)(3.6)(3.3)(3.0)(2.0)(1.2)-TL-PLUS-XYK-JVN-DIP Solar Grid Tied Inverters.

FIMER S.p.A.

HQ & Manufacturing Unit: Via J.F. Kennedy – 20871 Vimercate (MB) – Italy
Manufacturing Unit: Via San Giorgio 642 – 52028 Terranuova B.ni (AR) – Italy
Registered Office: Via Tortona 25 – 20144 Milano – Italy
C.C.I.A.A. Milano/ C.F.09286180154 – REA MI – 2609050
VAT 01574720510 – Cap. Soc. € 22.000.000,00 i.v

T +39 039 98.98.1
T +39 055 91.95.1
www.fimer.com


- 2/2 This Declaration of Conformity is not valid any longer, in case, without any written authorization by FIMER S.p.A.:
- the product is modified, supplemented or changed in any other way;
 - components, which are not part of the accessories kit, if any, are integrated in the product;
 - the product is used or installed improperly.

The last two digits of the year in which the UKCA Marking was affixed for the first time:
22.

Terranuova Bracciolini, 30 June 2022



Alessandro Rossi
(Testing & Laboratory Manager)



Paolo Casini
(Chief Technical Officer)